

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10620689

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

**PALM INTRANET**Day : Monday
Date: 5/8/2006
Time: 10:33:26

Inventor Information for 10/620689

Inventor Name	City	State/Country
CHO, OK-KYUNG	SCHWERTE	GERMANY
KIM, YOON-OK	SCHWERTE	GERMANY

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

 /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060094941 A1	20060504	Optical measurement apparatus and blood sugar level measuring apparatus using the same	600/316	600/365; 600/549	Cho; Ok-Kyung et al.
US 20060084854 A1	20060420	Blood sugar level measuring apparatus	600/365	600/316; 600/326; 600/549	Cho; Ok-Kyung et al.
US 20060084853 A1	20060420	Blood sugar level measuring apparatus	600/365	600/323	Cho; Ok-Kyung et al.
US 20060079742 A1	20060413	Method and apparatus for measuring blood sugar levels	600/365	600/316; 600/326; 600/549	Cho; Ok-Kyung et al.
US 20060071233 A1	20060406	Organic light emitting device and method of manufacturing the same	257/103		Cho; Sang-Hwan et al.
US 20060067181 A1	20060330	Recording medium for storing linking type information and method of processing defective area using the same	369/47.1	369/47.14	Lee; Kyung-geun et al.
US 20060063990 A1	20060323	Blood sugar level measuring apparatus	600/316	600/365	Cho; Ok-Kyung et al.
US 20060063781 A1	20060323	Pharmaceutical composition for regeneration of cirrhotic liver	514/255.05		Kim; Sang-Geon et al.
US 20060055294 A1	20060316	Inorganic electroluminescent display device and method of manufacturing the same	313/110	313/509	Song; Young-Woo et al.
US 20060039686 A1	20060223	Line-of-sight-based authentication apparatus and method	396/18		Soh; Byung seok et al.

US 20060039308 A1	20060223	Mobile broadcast receiver and method for decoding broadcast service using the same	370/312	370/389; 370/535	Kim; Yoon Jung
US 20060037732 A1	20060223	Method of startup procedure of strip in the twin roll strip casting process	164/480	164/483	Kim; Yoon-Ha et al.
US 20060015022 A1	20060119	Blood sugar level measuring apparatus	600/316	600/323	Cho; Ok-Kyung et al.
US 20060009065 A1	20060112	Semiconductor device and method of manufacturing the same	439/395		Lee; Kyoung-Woo et al.
US 20060006778 A1	20060112	Organic electroluminescent display device and method for manufacturing the same	313/113	257/98; 257/E51.018; 313/506; 427/66; 428/163; 428/315.5; 428/332; 428/690; 428/917; 430/319	Lee; Joon-Gu et al.
US 20060004268 A1	20060105	Blood sugar level measuring apparatus	600/315		Cho; Ok-Kyung et al.
US 20050275618 A1	20051215	Pointing device	345/156		Juh, Sung Chul et al.
US 20050275327 A1	20051215	Flat panel display	313/110	313/111	Song, Young-Woo et al.
US 20050251000 A1	20051110	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok-Kyung et al.
US 20050250999 A1	20051110	Blood sugar level measuring apparatus	600/365	600/309; 600/549	Cho, Ok-Kyung et al.
US 20050223801 A1	20051013	Apparatus for generating and measuring bending vibration in a non-	73/573	73/576	Kim, Yoon Young et al.

		ferromagnetic pipe without physical contact			
US 20050192492 A1	20050901	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
US 20050192491 A1	20050901	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
US 20050187442 A1	20050825	Blood sugar level measuring apparatus	600/316	600/365	Cho, Ok-Kyung et al.
US 20050182311 A1	20050818	Blood sugar level measuring apparatus	600/365	600/549	Cho, Ok-Kyung et al.
US 20050182310 A1	20050818	Blood sugar level measuring apparatus	600/316	600/365; 600/549	Cho, Ok-Kyung et al.
US 20050179430 A1	20050818	Transducer for generating and measuring torsional waves, and apparatus and method for structural diagnosis using the same	324/240		Park, Chan II et al.
US 20050172665 A1	20050811	Time division multi-cycle type cooling apparatus and method for controlling the same	62/525	62/175; 62/504	Kim, Yoon-Young et al.
US 20050127496 A1	20050616	Bonding pads with dummy patterns in semiconductor devices and methods of forming the same	257/700	257/758; 257/E23.02; 438/622	Kwon, Ki-hyoun et al.
US 20050124868 A1	20050609	Blood sugar level measuring apparatus	600/309		Cho, Ok-Kyung et al.
US 20050116625 A1	20050602	Electroluminescent display device and thermal transfer donor film for the electroluminescent	313/504	313/503; 313/506	Park, Jin-Woo et al.

		display device			
US 20050080324 A1	20050414	Blood sugar level measuring method and apparatus	600/365	128/920; 600/323; 600/549	Cho, Ok- Kyung et al.
US 20050080236 A1	20050414	Novel anti-viral vsf protein and hybridoma producing the same	530/351		Kim, Yoon- Won et al.
US 20050076932 A1	20050414	Hair iron	132/224		Cho, Ok- Nam
US 20050070777 A1	20050331	Blood sugar level measuring method and apparatus	600/365	600/326; 600/549	Cho, Ok- Kyung et al.
US 20050065415 A1	20050324	Optical measurement apparatus and blood sugar level measuring apparatus using the same	600/316	600/326	Cho, Ok- Kyung et al.
US 20050064845 A1	20050324	System and method for radius accounting for wireless communication networks	455/408		Clingerman, Stephen K. et al.
US 20050026422 A1	20050203	Method of forming an insulating structure having an insulating interlayer and a capping layer and method of forming a metal wiring structure using the same	438/624	257/E21.576; 438/637; 438/761; 438/787	Kim, Yoon- Hae et al.
US 20050024979 A1	20050203	Metal-insulator- metal capacitor and interconnecting structure	365/232		Kim, Yoon- hae et al.
US 20050016202 A1	20050127	Refrigerator having temperature controlled chamber	62/441	62/272; 62/408	Ko, Sung Bok et al.
US 20050010094 A1	20050113	Blood sugar level measuring apparatus	600/365	600/323; 600/549	Cho, Ok- Kyung et al.

US 20050000652 A1	20050106	Apparatus and method for treating edge of substrate	156/345.11		Nam, Chaqng-Hyeon et al.
US 20040268122 A1	20041230	System and method for extending secure authentication using unique session keys derived from entropy generated by authentication method	713/159	380/247; 380/278; 713/171	Satarasinghe, Prasanna J. et al.
US 20040260165 A1	20041223	Blood sugar level measuring apparatus	600/365	600/324; 600/326; 600/483	Cho, Ok-Kyung et al.
US 20040256987 A1	20041223	Plasma display panel	313/582		Kim, Yoon-hyeo
US 20040225209 A1	20041111	Blood sugar level measuring apparatus	600/365	600/326; 600/549	Cho, Ok-Kyung et al.
US 20040223431 A1	20041111	Recording medium for storing linking type information, method of processing defective area using the same, and recording and/or reproducing apparatus therefor	369/47.14	369/53.17	Lee, Kyung-geun et al.
US 20040223430 A1	20041111	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/47.52; 369/53.17	Lee, Kyung-Geun et al.
US 20040223429 A1	20041111	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/53.17; 369/59.25; 714/8	Lee, Kyung-Geun et al.
US	20041111	Mascara brush	132/218		Kim, Yoon-

20040221865 A1					Hoi
US 20040221685 A1	20041111	Method for manufacturing nano-scaled copper powder by wet reduction process	75/373		Jeong, In-Bum et al.
US 20040218500 A1	20041104	Near-field optical storage medium and optical data storage system therefor	369/94	369/13.33; 369/283	Lee, Chul-Woo et al.
US 20040183433 A1	20040923	Assembly of organic electroluminescence	313/504	313/506	Cho, Sang-Hwan et al.
US 20040169465 A1	20040902	Thin film electroluminescence display device and method of manufacturing the same	313/506	313/498; 445/24	Do, Young-Rag et al.
US 20040163408 A1	20040826	Air circulation structure for a refrigerator machine room	62/428	62/455	Kim, Yoon-Young et al.
US 20040144774 A1	20040729	Microwave oven	219/680		Kim, Yoon Gon
US 20040118141 A1	20040624	Refrigerator	62/258	62/441; 62/457.1; 62/457.9	Kim, Yoon-young et al.
US 20040107727 A1	20040610	Time division multi-cycle type cooling apparatus and method for controlling the same	62/525	62/175; 62/504	Kim, Yoon-Young et al.
US 20040089072 A1	20040513	Methods and apparatus for measuring flexural wave and/or flexural vibration using a magnetostrictive sensor	73/658	324/234	Kim, Yoon Young et al.
US 20040083746	20040506	Cooling apparatus	62/198	62/525	Kim, Chang-Nyeun et al.

A1					
US 20040080311 A1	20040429	Integrated circuit test system and method	324/158.1		Kim, Yoon-Min et al.
US 20030226363 A1	20031211	Refrigerator for cosmetics and control method thereof	62/3.6	62/3.7	Lee, Jae-Seung et al.
US 20030196507 A1	20031023	Column-type shift lever structure for automatic transmission with manual shifting mode	74/473.32	74/473.18	Kim, Yoong Kwang
US 20030171382 A1	20030911	Pharmaceutical composition for regeneration of cirrhotic liver	514/255.05		Kim, Sang-Geon et al.
US 20030164496 A1	20030904	Organic electroluminescent display device and method of manufacturing the same	257/40		Do, Young-rag et al.
US 20030137317 A1	20030724	Test systems for semiconductor devices	324/765		Kim, Yoon-Min et al.
US 20030084670 A1	20030508	Refrigerator for cosmetics and method of controlling the same	62/3.6	62/3.7	Kim, Yoon-Young et al.
US 20030050382 A1	20030313	Method for synthesis of exfoliated polymer/silicate nanocomposite	524/492	524/525; 524/558; 526/218.1; 526/227	Choi, Yeong Suk et al.
US 20030031810 A1	20030213	Method to prevent specks or hairline cracks in, and premature failure of, airplane cylinder barrels	428/34.1	427/430.1	Kim, Yoon Sam
US 20030005528 A1	20030109	Dye-accelerant composition and process for using	8/541		Jung, James et al.

		same			
US 20030000543 A1	20030102	Cosmetic container	132/313		Kim, Yoon-Hoi
US 20020190595 A1	20021219	Single phase line start permanent magnet synchronous motor	310/156.53	310/156.57; 310/162	Han, Seung Do et al.
US 20020175572 A1	20021128	Skeleton type brushless motor	310/49R	310/216; 310/254; 310/261	Cho, Kwan Yeul et al.
US 20020153819 A1	20021024	Metal cathode and indirectly heated cathode assembly having the same	313/337		Seo, Dong- Kyun et al.
US 20020136148 A1	20020926	Near-field optical storage medium and optical data storage system therefor	369/112.24	369/300	Lee, Chul- Woo et al.
US 20020136146 A1	20020926	Near-field optical storage medium and optical data storage system therefor	369/112.23	369/300	Lee, Chul- Woo et al.
US 20020118620 A1	20020829	Optical recording medium with wobble header area, and data recording method and apparatus therefor	369/53.21	369/116; 369/275.3; 369/275.4	Lee, Kyung- geun et al.
US 20020110193 A1	20020815	Transcoding method and apparatus therefor	375/240.02		Yoo, Kook Yeol et al.
US 20020101146 A1	20020801	Metal cathode for electron tube	313/346R		Kim, Yoon- Chang et al.
US 20020065649 A1	20020530	Mel-frequency linear prediction speech recognition apparatus and method	704/219		Kim, Yoon
US 20020053103 A1	20020509	Toilet seat with twin protrusions having an egg shape	4/237		Kim, Yoon Hwan
US 20020049876 A1	20020425	Multimedia modular card, device for operating	710/301		Hwang, Kyo-Jong et al.

		the same, and integrated multimedia system			
US 20020047264 A1	20020425	Telescopic pipe and extendible suction pipe of vacuum cleaner using the same	285/7		Kim, Yoon-Ki
US 20020030560 A1	20020314	Signal process apparatus for phase-shifting N number of signals inputted thereto	333/156	333/161	Kim, Duk-Yong et al.
US 20010049203 A1	20011206	Method of forming SiOC thin film having low dielectric constant	438/778	257/E21.277	Kim, Hyeong J. et al.
US 20010026117 A1	20011004	Method for manufacturing an electron gun including a metal layer between a base metal and an electron emitting layer	313/310	313/346R; 445/51	Kim, Yoon-Chang et al.
US 20010009348 A1	20010726	Cathode material for electron beam apparatus	313/337		Choi, Jong-Seo et al.
US 7042820 B2	20060509	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/13.25	Lee; Kyung-geun et al.
US 7041949 B2	20060509	Microwave oven having a toasting cavity	219/681	219/685; 219/757; 219/762; 99/451	Kim; Yoon Gon
US 7036334 B2	20060502	Refrigerator having temperature controlled chamber	62/441	62/272; 62/408	Ko; Sung Bok et al.
US 7007282 B1	20060228	Slave device and data sharing method	719/321		Lee; Jin-woo et al.
US 6999512 B2	20060214	Transcoding method and	375/240.03		Yoo; Kook Yeol et al.

		apparatus therefor			
US 6990828 B2	20060131	Refrigerator	62/381	312/125; 312/135; 312/305; 62/255; 62/440	Kim; Yoon- young et al.
US D511023 S	20051025	Heater for hair curler	D28/35		Cho; Ok- Nam
US 6954661 B2	20051011	Blood sugar level measuring apparatus	600/316	600/322; 600/326	Cho; Ok- Kyung et al.
US 6945132 B2	20050920	Column-type shift lever structure for automatic transmission with manual shifting mode	74/473.12	74/335; 74/473.15; 74/473.18; 74/473.31	Kim; Yoong Kwang
US 6931870 B2	20050823	Time division multi-cycle type cooling apparatus and method for controlling the same	62/198	62/504	Kim; Yoon- Young et al.
US 6924642 B1	20050802	Magnetorestrictive transducer for generating and measuring elastic waves, and apparatus for structural diagnosis using the same	324/240	324/220	Cho; Seung Hyun et al.
US D506031 S	20050607	Hair iron	D28/35		Cho; Ok Nam
US D504541 S	20050426	Hair curling heater	D28/35		Cho; Ok Nam
US 6885625 B2	20050426	Near-field optical storage medium and optical data storage system therefor	369/112.23	369/13.28; 369/13.33; 369/275.1; 369/283; 369/288	Lee; Chul- Woo et al.
US 6868730 B2	20050322	Methods and apparatus for measuring flexural wave and/or flexural vibration using a	73/643	73/622	Kim; Yoon Young et al.

		magnetostrictive sensor			
US 6845421 B2	20050118	Multimedia modular card, device for operating the same, and integrated multimedia system	710/305	710/309; 710/313	Hwang; Kyo-Jong et al.
US 6842030 B2	20050111	Test systems for low-temperature environmental testing of semiconductor devices	324/765	324/760	Kim; Yoon-Min et al.
US 6838897 B2	20050104	Integrated circuit test system and method	324/760	324/158.1; 324/765	Kim; Yoon-Min et al.
US 6835531 B1	20041228	Phase change optical disc	430/270.13	369/275.2; 369/275.5; 428/64.5; 430/945	Yoon; Du-seop et al.
US 6809452 B2	20041026	Skeleton type brushless motor	310/216	310/254; 310/49R	Cho; Kwan Yeul et al.
US 6800990 B2	20041005	Cathode material including rare earth metal used as electron emission source for electron beam apparatus	313/346R	313/346DC	Choi; Jong-Seo et al.
US 6799582 B2	20041005	Cosmetic container	132/317	401/127; 401/129	Kim; Yoon-Hoi
US 6798732 B2	20040928	Near-field optical storage medium and optical data storage system therefor	369/275.1	369/112.24; 369/283; 369/288; 428/64.1; 428/824.1	Lee; Chul-Woo et al.
US 6794324 B1	20040921	Low temperature sinterable and low loss dielectric ceramic compositions and method thereof	501/134	361/321.4; 361/321.5; 501/136	Kim; Yoon-Ho et al.
US 6792048 B1	20040914	Terminal supporting signaling used in transmission and	375/240.26		Lee; Yung Lyul et al.

		reception of MPEG-4 data			
US 6791251 B2	20040914	Metal cathode and indirectly heated cathode assembly having the same	313/337	313/310; 313/311; 313/346DC; 313/346R	Seo; Dong- Kyun et al.
US 6789120 B1	20040907	Real-time audio/video communication method for use on the internet and device therefor	709/227	370/352; 379/90.01; 379/93.35; 709/204	Lee; Hoon-ki et al.
US 6788630 B1	20040907	Recording medium for storing linking type information, method of processing defective area using the same, and recording and/or reproducing apparatus therefor	369/47.14	369/13.25; 369/53.15	Lee; Kyung- geun et al.
US 6788629 B1	20040907	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/13.25; 369/53.15	Lee; Kyung- geun et al.
US 6787796 B2	20040907	Organic electroluminescent display device and method of manufacturing the same	257/40	257/98; 438/29	Do; Young- rag et al.
US 6785206 B1	20040831	Recording medium for storing linking type information and method of processing defective area using the same	369/47.14	369/275.3; 369/53.15; 369/53.2	Lee; Kyung- geun et al.
US 6769260 B2	20040803	Refrigerator for cosmetics and control method thereof	62/3.6	62/259.2; 62/3.7	Lee; Jae- Seung et al.

US 6762544 B2	20040713	Metal cathode for electron tube	313/346DC	313/270; 313/337; 313/346R	Kim; Yoon- chang et al.
US 6758053 B2	20040706	Cooling apparatus	62/198	62/204; 62/525	Kim; Chang- Nyeun et al.
US 6743744 B1	20040601	Low temperature sinterable and low loss dielectric ceramic compositions and method thereof	501/134	361/321.4; 361/321.5; 501/136	Kim; Yoon- Ho et al.
US D489483 S	20040504	Hair iron	D28/35		Cho; Ok- Nam
US D489482 S	20040504	Hair iron	D28/35		Cho; Ok- Nam
US 6720023 B1	20040413	Method for preparation of the supersaturated solution of calcium phosphate and the thin film of calcium phosphate crystal by using the solution	427/2.27	423/308; 423/309; 423/311	Kim; Hyun- Man et al.
US 6715299 B2	20040406	Refrigerator for cosmetics and method of controlling the same	62/3.6	62/3.7	Kim; Yoon- Young et al.
US 6707216 B2	20040316	Single phase line start permanent magnet synchronous motor	310/211	310/156.78; 310/156.82	Han; Seung Do et al.
US 6621787 B1	20030916	Optical storage medium having protective layer thicker than wavelength of useable light source	369/275.1	369/283; 369/288; 428/64.1; 428/817; 428/820.5	Lee; Chul- Woo et al.
US 6602304 B2	20030805	Dye-accelerant composition and process for using same	8/543	8/576; 8/594; 8/602; 8/611; 8/617; 8/930	Jung; James et al.
US 6585832 B2	20030701	Method to prevent specks or hairline cracks in, and	148/243	123/193.1; 123/193.2; 123/669;	Kim; Yoon Sam

		premature failure of, airplane cylinder barrels		148/284; 148/287	
US 6584621 B2	20030701	Toilet seat with twin protrusions having an egg shape	4/237		Kim; Yoon Hwan
US 6528361 B1	20030304	Process for preparing a polycrystalline silicon thin film	438/166	257/E21.133; 438/486; 438/487	Ahn; Byung-Tae et al.
US 6513191 B1	20030204	Device for adjusting suction pipe length of a vacuum cleaner	15/414	285/7	Kim; Yoon-ki
US 6511632 B1	20030128	Cathode material of electron beam device and preparation method thereof	420/461	219/146.21; 219/146.22; 420/590	Choi; Jong-Seo et al.
US 6504450 B2	20030107	Signal process apparatus for phase-shifting N number of signals inputted thereto	333/156	333/161	Kim; Duk-Yong et al.
US 6454308 B1	20020924	Telescopic pipe and extendible suction pipe of vacuum cleaner using transparent material	285/7	285/303; 285/423; 285/93	Kim; Yoon-ki
US 6412286 B1	20020702	Storage box using a thermoelement and a cooling method for a storage box	62/3.6	62/441; 62/457.1	Park; Rae-Eun et al.
US 6408222 B1	20020618	Apparatus and a method for controlling thickness of a strip in a twin roll strip casting device	700/155	164/452; 700/156; 72/9.2	Kim; Yoon Ha et al.
US 6390877 B2	20020521	Method for manufacturing an electron gun including a metal layer between a base metal and an electron emitting	445/51	313/346R	Kim; Yoon-Chang et al.

		layer			
US 6338624 B1	20020115	Automatic putting-out apparatus	431/33	236/1H; 431/317; 431/88	Kim; Yoon-Guk
US 6304844 B1	20011016	Spelling speech recognition apparatus and method for communications	704/257	704/231; 704/251; 704/255	Pan; James et al.
US 6294424 B1	20010925	Method for fabricating a semiconductor device	438/243	257/E21.651; 257/E27.016; 438/152; 438/164; 438/241; 438/430	Kang; Won Jun et al.
US 6293136 B1	20010925	Multiple mode operated surface acoustic wave sensor for temperature compensation	73/19.03	310/313B; 310/313D; 73/24.03; 73/24.06; 73/31.06; 73/61.75; 73/61.79; 73/64.53	Kim; Yoonkee
US 6275828 B1	20010814	Method of providing persistence to object in C++ object oriented programming system	717/116	719/312; 719/313; 719/315; 719/328	Lee; Mi Young et al.
US 6255764 B1	20010703	Electron gun cathode with a metal layer having a recess	313/346R	313/270; 313/346DC	Choi; Jong-Seo et al.
US 6221371 B1	20010424	Pseudoceramides, and dermatologic external preparations containing the same	424/401	424/400; 554/103; 554/108	Baik; In-sub et al.
US 6167712 B1	20010102	Method for controlling a refrigerator having a direction control valve	62/113	62/180; 62/186; 62/197; 62/513	Lim; Jae-Hoon et al.
US 6140753 A	20001031	Cathode for an electron gun	313/346R		Joo; Gyu-Nam et al.

US 6125433 A	20000926	Method of accomplishing a least-recently-used replacement scheme using ripple counters	711/160	711/136; 711/207; 711/219	Horstmann; Jens et al.
US 6114979 A	20000905	(N) bit (M) ternary coding circuit	341/57		Kim; Yoon Hak
US 6110541 A	20000829	Chemical vapor deposition method and apparatus for highly textured diamond film formation	427/577	118/723E; 118/728; 427/249.8; 427/534	Lee; Jai- Young et al.
US 6101693 A	20000815	Method of manufacturing a multi-layered ceramic capacitor	29/25.42	361/321.5	Kim; Yoon Ho et al.
US 6099700 A	20000808	Surface acoustic wave filter employing AlN/AlN:H/AlN tri-layered film and a process for fabricating the same	204/192.18	204/192.15; 427/100	Lee; Jai- Young et al.
US 6054800 A	20000425	Cathode for an electron gun	313/270	313/346DC; 313/346R	Joo; Gyu- Nam et al.
US RE36355 E	19991026	Potassium bromate replacer composition	426/19	426/24; 426/25; 426/26; 426/62	Kim; Yoon J.
US 5971768 A	19991026	Methods of fabricating integrated circuit trench isolation regions	438/400	257/E21.038; 257/E21.258; 257/E21.549; 438/229; 438/322	Kim; Yoon- gi
US 5963619 A	19991005	External incoming call switching method in automatic answering telephone subscribed in incoming call switching service	379/88.23	379/211.02	Kim; Yoon- Hyang
US 5942145	19990824	Driving circuit of	219/754	219/715;	Jeon; Nam-

A		turntable motor in microwave oven		219/757; 219/760	Sik et al.
US 5924996 A	19990720	Process and device for detecting the exchange of heat between the human body and the invented device and its correlation to the glucose concentration in human blood	600/549	600/365	Cho; Ok Kyung et al.
US 5916141 A	19990629	Tandem master cylinder of brake system in an automobile	60/562	188/349; 303/9.62; 60/563; 60/574; 60/591	Kim; Yoon Taek
US 5866492 A	19990202	Low-temperature sinterable temperature compensating microwave dielectric ceramic composition	501/134	501/136	Kim; Hyo Tae et al.
US 5813598 A	19980929	Thermostat device for protecting an engine of a vehicle from overheating	236/34.5	236/DIG.2	Kim; Yoon-Taek
US 5797365 A	19980825	Intake port device for an engine of a vehicle	123/184.56		Kim; Yoon-Taek
US 5796079 A	19980818	Rapid thermal processing method for ferroelectric, high dielectric, electrostrictive, semiconductive, or conductive ceramic thin film using microwaves	219/678	118/723MW; 118/725; 219/711; 219/762; 257/E21.272; 257/E21.324; 427/595	Kim; Tae Song et al.
US 5795305 A	19980818	Process and device for non-invasive determination of glucose concentration in parts of the human	600/549	600/316	Cho; Ok-Kyung et al.

		body			
US 5767030 A	19980616	High frequency dielectric ceramic composition and fabrication method thereof	501/136	501/137; 501/138	Kim; Hyo Tae et al.
US 5737454 A	19980407	Facsimile system having a function of processing a personal message and a method therefor	382/284	358/405; 358/438; 358/450; 380/243	Park; You-Il et al.
US 5712690 A	19980127	Apparatus and method for diagnosing received broadcast signals using sync signals and signal level	348/570	348/569	Kim; Yoon-kil
US 5680410 A	19971021	Modified semiconductor laser diode having an integrated temperature control element	372/34	372/36	Kim; Yoon-Ok et al.
US 5680291 A	19971021	Low-temperature sinterable dielectric composition with high dielectric constant and multi-layered ceramic capacitor using the same	361/321.4	361/321.1; 361/321.5; 501/134; 501/135; 501/136	Kim; Yoon Ho et al.
US 5657731 A	19970819	Device for adjusting flow through an intake	123/336		Kim; Yoonsuk
US 5601062 A	19970211	Intake system for engine	123/306		Kim; Yoonsuk
US 5597769 A	19970128	Dielectric ceramic composition for boundary layer condensers and a method for preparing the same	501/136	501/21; 501/32	Kim; Yoon H. et al.
US 5595934 A	19970121	Method for forming oxide protective film on bonding	438/768	257/E23.02; 438/123; 438/127	Kim; Yoon S.

		pads of semiconductor chips by UV/O.sub.3 treatment			
US 5592917 A	19970114	Intake air control device for an internal combustion engine	123/308		Kim; Yoonsuk
US 5582147 A	19961210	Combustion chamber for internal combustion engine having multiple valves	123/302	123/661	Kim; Yoonsuk
US 5561090 A	19961001	Dielectric ceramic composition for high frequencies and method for preparation of the same	501/134		Park; Yung et al.
US 5555865 A	19960917	Air flow control device for an internal combustion engine	123/184.56		Kim; Yoon-Suk
US 5546898 A	19960820	Device for controlling the flow of intake and exhaust gases in an internal combustion engine	123/90.1	123/65PD; 123/65VD	Kim; Yoonsuk
US 5546555 A	19960813	Optimized translation lookaside buffer slice having stored mask bits	711/207	365/49	Horstmann; Jens et al.
US 5542385 A	19960806	Intake manifold for an internal combustion engine	123/184.52	123/188.4	Kim; Yoonsuk
US 5538928 A	19960723	Dielectric ceramic composition for high frequencies and method for preparation of the same	501/134	252/519.12; 264/661	Park; Yung et al.
US 5527749 A	19960618	Dielectric ceramic composition for	501/134		Park; Yung et al.

		high frequencies and method for preparation of the same			
US 5516371 A	19960514	Method of manufacturing magnets	148/104	148/101	Kim; Yoon-Bae et al.
US 5510129 A	19960423	Potassium bromate replacer composition	426/62	426/19; 426/24; 426/26	Kim; Yoon J.
US 5508087 A	19960416	Organic-optic recording tapes	428/195.1	369/100; 369/275.2; 369/275.4; 369/283; 369/284; 428/409; 428/64.1; 428/913; 720/718	Min; Kyung S. et al.
US 5491806 A	19960213	Optimized translation lookaside buffer slice having stored mask bits	711/207	711/209	Horstmann; Jens et al.
US 5453907 A	19950926	Composition and method for making an intergranular insulation type semiconductive ceramic capacitor	361/321.1	361/321.3; 501/135	Kim; Yoon H. et al.
US 5432134 A	19950711	Microwave dielectric ceramic composition	501/134		Park; Yung et al.
US 5378667 A	19950103	Intercrystalline semiconductive ceramic capacitor	501/136		Kim; Yoon H. et al.
US 5376606 A	19941227	Light-transmissive polycrystalline alumina ceramics	501/153	264/674; 264/681; 501/127	Kim; Yoon H. et al.
US 5375002 A	19941220	Color error diffusion	358/521	358/3.03; 358/448; 358/523; 358/530	Kim; Seo-Kyu et al.
US 5311651 A	19940517	Method for manufacturing multi-layer ceramic	29/25.42	361/309; 361/310	Kim; Yoon Ho et al.

		capacitor			
US 5291354 A	19940301	Lid opening mechanism for a digital audio tape cassette	360/96.5	360/93	Kim; Yoon B.
US 5267152 A	19931130	Non-invasive method and apparatus for measuring blood glucose concentration	600/316	250/339.09; 250/339.12; 250/341.5; 250/341.8; 356/39; 600/322	Yang; Won S. et al.
US 5090099 A	19920225	Method for manufacturing multilayer ceramic capacitor	29/25.42	427/81	Kim; Yoon Ho et al.
US 4957773 A	19900918	Deposition of boron-containing films from decaborane	427/570	257/E21.148; 257/E21.292; 427/255.38; 427/255.394; 427/572; 427/573; 427/574	Spencer; James T. et al.
US 4653194 A	19870331	Composite-type ruler	33/429	33/451; 33/DIG.1	Kim; Yoon H.
US 4546516 A	19851015	Cosmetic towel	15/210.1	112/410; 112/420; 112/441; 428/101; 428/88; 428/91; 604/378; 604/384; 604/385.01	Kim; Yoon H.
US 4493866 A	19850115	Cosmetic towel	428/101	15/118; 15/210.1; 604/378; 604/384; 604/385.01	Kim; Yoon H.